Index to Volume 18, 1997

Author/Title Index

Abe, K., Kondoh, T. and Nagano, Y.: On Reynolds-stress expressions and near-wall scaling parameters for predicting wall and homogeneous turbulent shear flows, 266
Abhari, R. S. *See* Garg, V. K., 452
Ahn, J. W., Park, T. S. and Sung, H. J.: Application of a near-wall turbulence model to the flows over a step with inclined wall, 209
Ainsworth, R. W., Thorpe, S. J. and Manners, R. J.: A new approach to flow-field measurement — A view of Doppler global velocimetry techniques, 116
Alekseev, A. K.: On heat flux estimation from isotherms, 437
Antonia, R. A. *See* Dubief, Y., 183
Awwad, A. *See* Xin, R. C., 482

Baron, A. and Quadrio, M.: Turbulent boundary layer over riblets: Conditional analysis of ejection-like events, 188
Barton, I. E.: Laminar flow over a backward-facing step with a stream of hot particles, 400
Bayley, F. J. and Childs, P. R. N.: Prediction of ingress rates to turbine and compressor wheelspaces, 218
Boudjemadi, R., Maupu, V., Laurence, D. and Le Quéré, P.: Budgets of turbulent stresses and fluxes in a vertical slot natural convection flow at Rayleigh Ra=10^5 and 5.4 10^5, 70
Bradshaw, P.: Understanding and prediction of turbulent flow — 1996, 45
Brown, A. *See* Finnis, M. V., 389

Chakroun, W. M., Medhin, M. W. and Taylor, R. P.: Heat transfer from rough, protruding discretely heated strips with and without flow acceleration, 461
Chiang, C.-S. *See* Wang, C.-C., 550
Childs, P. R. N. *See* Bayley, F. J., 218
Chung, Y. S. *See* Lee, D. H., 160
Coulton, D., Doan-Kim, S. and Vuillot, F.: Numerical simulation of vortex-shedding phenomenon in a channel with flow induced through porous wall, 283
Craft, T. J., Launder, B. E. and Suga, K.: Prediction of turbulent transitional phenomena with a nonlinear eddy-viscosity model, 15

Dafá Alla, A. A., Juntasaro, E. and Gibson, M. M.: Computations of periodic turbulent boundary layers with moderate adverse pressure gradient, 443
Das, P. K. *See* Kundu, B., 530
Degan, G. and Vasseur, P.: Boundary-layer regime in a vertical porous layer with anisotropic permeability and boundary effects, 334
Djenidi, L. *See* Dubief, Y., 183
Doan-Kim, S. *See* Coulton, D., 283
Dol, H. S., Hanjalić, K. and Kenjereš, S.: A comparative assessment of the second-moment differential and algebraic models in turbulent natural convection, 4
Dong, Z. F. *See* Xin, R. C., 482
Dongqing, L. *See* Mala, G. M., 489
Dubief, Y., Djenidi, L. and Antonia, R. A.: The measurement of $\delta u/\delta y$ in a turbulent layer over a riblet surface, 183

Eaton, J. K. *See* Hacker, J. M., 131
Ebadian, M. A. *See* Xin, R. C., 482

Fedorov, A. G., Viskanta, R. and Mohamad, A. A.: Turbulent heat and mass transfer in an asymmetrically heated, vertical parallel-plate channel, 307
Finnis, M. V. and Brown, A.: The linear growth of Görtler vortices, 389
Fourcher, B. and Mansouri, K.: An approximate analytical solution to the Graetz problem with periodic inlet temperature, 229
Fu, F. and Klausner, J. F.: A separated flow model for predicting two-phase pressure drop and evaporative heat transfer for vertical annular flow, 541
Fujita, H. *See* Hirota, M., 170
Fusegi, T.: Numerical study of convective heat transfer from periodic open cavities in a channel with oscillatory throughflow, 376

Garg, V. K. and Abhari, R. S.: Comparison of predicted and experimental Nusselt number for a film-cooled rotating blade, 452
Gessner, F. B. *See* Naimi, M., 471
Gibson, M. M. and Harper, R. D.: Calculation of impinging-jet heat transfer with the low-Reynolds-number ξ turbulence model, 80
Gibson, M. M. *See* Dafá Alla, A. A., 443
Gowda, B. S., Narasimham, G. S. V. L. and Murthy, M. V. K.: Forced-air precooling of spherical foods in bulk: A parametric study, 613
Guo, Z.-Y. *See* Li, D.-Y., 585

Hacker, J. M. and Eaton, J. K.: Measurements of heat transfer in a separated and reattaching flow with spatially varying thermal boundary conditions, 131
Hader, M. A. *See* Jog, M. A., 411
Hanjalić, K. and Musemić, R.: Modeling the dynamics of double-diffusive scalar fields at various stability conditions, 360
Hanjalić, K. *See* Dol, H. S., 4
Hanjalić *See* Meinders, E. R., 152
Hanratty, T. J. *See* Papavassiliou, D. V., 55
Harper, R. D. *See* Gibson, M. M., 80
Hirota, M., Fujita, H., Yokosawa, H., Nakai, H. and Itoh, H.: Turbulent heat transfer in a square duct, 170
Hsu, C.-H. *See* Yang, S.-A., 567
Hyun, J. M. *See* Kim, W. N., 384
Hyun, J. M. *See* Lee, C. H., 507
Hyun, J. M. *See* Shim, Y. M., 328

Itoh, H. *See* Hirota, M., 170

Jacobasch, H.-J. *See* Mala, G. M., 489
Jog, M. A. and Hader, M. A.: Transient heat transfer to a spheroidal liquid drop suspended in an electric field, 411
Joshi, Y. *See* Yu, E., 600
Juntasaro, E. *See* Dafá Alla, A. A., 443

Kasagi, N. and Nishimura, M.: Direct numerical simulation of combined forced and natural turbulent convection in a vertical channel, 88
Kazeminejad, H. *See* Rahnema, M., 430
Kenjereš, S. *See* Dol, H. S., 4
Kim, D. S. *See* Lee, D. H., 160
Kim, W. N. and Hyun, J. M.: Convective heat transfer in a cylinder with a rotating lid under stable stratification, 384
Klausner, J. F. *See* Fu, F., 541
Kondoh, M. *See* Nagano, Y., 346
Kondoh, T. *See* Abe, K., 266
Koutmos, P. and Mavridis, C.: A computational investigation of unsteady separated flows, 297
Kumari, M., Pop, I. and Takhar, H. S.: Free-convection boundary-layer flow of a non-Newtonian fluid along a vertical wavy surface, 625
Kundu, B. and Das, P. K.: Optimum dimensions of plate fins for fin-tube heat exchangers, 530
Kunitsugu, K. *See* Nishimura, T., 497

Lai, J. C. S. and Yang, C. Y.: Numerical simulation of turbulence suppression: Comparisons of the performance of four k-ε turbulence models, 575
Lasance, C. J. M. *See* Meinders, E. R., 152
Launder, B. E. *See* Craft, T. J., 15
Laurence, D. *See* Boudjemadi, R., 70
Lee, C. H. and Hyun, J. M.: Spin-up of a double-diffusive fluid in a cylinder, 507
Lee, D. H., Chung, Y. S. and Kim, D. S.: Turbulent flow and heat transfer measurements on a curved surface with a fully developed round impinging jet, 160
Le Quéré, P. *See* Boudjemadi, R., 70
Li, D.-Y., Guo, Z.-Y. and Ma, C.-F.: Relationship between the recovery factor and the viscous dissipation in a confined, impinging, circular jet of high-Prandtl number liquid, 585

Ma, C.-F. *See* Li, D.-Y., 585
Mala, Gh. M., Dongqing, L., Werner, C., Jacobasch, H.-J. and Ning, Y. B.: Flow characteristics of water through a microchannel between two parallel plates with electrokinetic effects, 489
Manners, R. J. *See* Ainsworth, R. W., 116
Mansouri, K. *See* Fourcher, B., 229
Maupu, V. *See* Boudjemadi, R., 70
Mavridis, C. *See* Koutmos, P., 297
Medhin, M. W. *See* Chakroun, W. M., 461
Meinders, E. R., van der Meer, Th. H., Hanjalić, K. and Lasance, C. J. M.: Application of infrared thermography to the evaluation of local convective heat transfer on arrays of cubical protrusions, 152
Mlaouah, H., Tsuji, T. and Nagano, Y.: A study of non-Boussinesq effect on transition of thermally induced flow in a square cavity, 100

Int. J. Heat and Fluid Flow 18: 635–637, 1997

© 1997 by Elsevier Science Inc.

655 Avenue of the Americas, New York, NY 10010

0142-727X/97/$17.00
PII S0142-727X(97)00075-1

Mohamad, A. A. *See* Fedorov, A. G., 307
Murthy, M. V. K. *See* Gowda, B. S., 613
Musemić, R. *See* Hanjalić , K., 360

Nagano, Y., Kondoh, M. and Shimada, M.: Multiple time-scale turbulence model for wall and homogeneous shear flows based on direct numerical simulations, 346
Nagano, Y. *See* Abe, K., 266
Nagano, Y. *See* Mlaouah, H., 100
Naimi, M. and Gessner, F. B.: Calculation of fully developed turbulent flow in rectangular ducts with two opposite roughened walls, 471
Nakai, H. *See* Hirota, M., 170
Narasimham, G. S. V. L. *See* Gowda, B. S., 613
Ning, Y. B. *See* Mala, G. M., 489
Nishimura, M. *See* Kasagi, N., 88
Nishimura, T. and Kunitsugu, K.: Fluid mixing and mass transfer in two-dimensional cavities with time-periodic lid velocity, 497
Nouri, J. M. and Whitelaw, J. H.: Flow of Newtonian and non-Newtonian fluids in an eccentric annulus with rotation of the inner cylinder, 236

Oliveira, P. J. and Pinho, F. T.: Pressure drop coefficient of laminar Newtonian flow in axisymmetric sudden expansions, 518

Papavassiliou, D. V. and Hanratty, T. J.: Interpretation of large-scale structures observed in a turbulent plane Couette flow, 55
Park, T. S. *See* Ahn, J. W., 209
Pinho, F. T. *See* Oliveira, P. J., 518
Pop, I. *See* Kumari, M., 625
Praisner, T. J., Seal, C. V., Takmaz, L. and Smith, C. R.: Spatial-temporal turbulent flow-field and heat transfer behavior in end-wall junctions, 142

Quadrio, M. *See* Baron, A., 188

Rahnema, M., Yaghoubi, M. A. and Kazeminejad, H.: A numerical study of convective heat transfer from an array of parallel blunt plates, 430
Rao, B. K.: Turbulent friction factor for two-phase: Air-viscoelastic flows through a horizontal tube, 559
Rhee, G. H. and Sung, H. J.: A low-Reynolds-number, four-equation heat transfer model for turbulent separated and reattaching flows, 38
Rocha, L. A. O., Saboya, F. E. M. and Vargas, J. V. C.: A comparative study of elliptical and circular sections in one- and two-row tubes and plate fin heat exchangers, 247

Saboya, F. E. M. *See* Rocha, L. A. O., 247
Sajjadi, S. G. and Waywell, M. N.: Application of roughness-dependent boundary conditions to turbulent oscillatory flows, 368
Saniei, N. *See* Yan, X., 591
Sarkar, A. and So, R. M. C.: A critical evaluation of near-wall two-equation models against direct numerical simulation data, 197
Seal, C. V. *See* Praisner, T. J., 142
Shah, R. K. *See* Srinivasan, V., 419
Shim, Y. M. and Hyun, J. M.: Transient confined natural convection with internal heat generation, 328
Shimada, M. *See* Nagano, Y., 346
Smith, C. R. *See* Praisner, T. J., 142
So, R. M. C. *See* Sarkar, A., 197
So, R. M. C. *See* Sommer, T. P., 29
Sommer, T. P., So, R. M. C. and Zhang, J.: Modeling of nonequilibrium and history effects of homogeneous turbulence in a stably stratified medium, 29
Srinivasan, V. and Shah, R. K.: Fin efficiency of extended surfaces in two-phase flow, 419
Suga, K. *See* Craft, T. J., 15
Sung, H. J. *See* Ahn, J. W., 209
Sung, H. J. *See* Rhee, G. H., 38

Takhar, H. S. *See* Kumari, M., 625
Takmaz, L. *See* Praisner, T. J., 142
Taylor, R. P. *See* Chakroun, W. M., 461
Tchavdarov, B. M.: Two-dimensional vortex dynamics of inviscid-viscous interaction at turbulent slot-jet impingement, 316
Thorpe, S. J. *See* Ainsworth, R. W., 116
Tsuji, T. *See* Mlaouah, H., 100

van der Meer, Th. H. *See* Meinders, E. R., 152
Vargas, J. V. C. *See* Rocha, L. A. O., 247
Vasseur, P. *See* Degan, G., 334
Viskanta, R. *See* Fedorov, A. G., 307
Vuillot, F. *See* Coulton, D., 283

Wang, C.-C. and Chiang, C.-S.: Two-phase heat transfer characteristics for R-22/R-407C in a 6.5-mm smooth tube, 550
Waywell, M. N. *See* Sajjadi, S. G., 368
Werner, C. *See* Mala, G. M., 489
Whitelaw, J. H. *See* Nouri, J. M., 236
Wroblewski, D. *See* Xie, Q., 107

Xie, Q. and Wroblewski, D.: Effect of periodic unsteadiness on heat transfer in a turbulent boundary layer downstream of a cylinder-wall junction, 107

Xin, R. C., Awwad, A., Dong, Z. F. and Ebadian, M. A.: An experimental study of single-phase and two-phase flow pressure drop in annular helicoidal pipes, 482

Yaghoubi, M. A. *See* Rahnema, M., 430
Yan, X. and Saniei, N.: Heat transfer from an obliquely impinging circular air jet to a flat plate, 591
Yang, C. Y. *See* Lai, J. C. S., 575
Yang, S.-A. and Hsu, C.-H.: Free- and forced-convection film condensation from a horizontal elliptic tube with a vertical plate and horizontal tube as special cases, 567
Yip, T. H. *See* Yu, S. C. M., 253
Yokosawa, H. *See* Hirota, M., 170
Yu, E. and Joshi, Y.: A numerical study of three-dimensional laminar natural convection in a vented enclosure, 600
Yu, S. C. M. and Yip, T. H.: Experimental investigation of two-stream mixing flows with streamwise and normal vorticity, 253

Zhang, J. *See* Sommer, T. P., 29

Subject Index

Acceleration, 461
Algebraic truncation, 4
Anisotropic porous medium, 334
Annular helicoidal pipe, 482
Apparent viscosity, 489
Asymmetric flow, 218
Axial seal, 218

Backward-facing step, 209, 297, 400
Bifurcation, 100
Blunt plates, 430
Boundary layer, 183, 368, 389, 443
Buoyancy, 88, 384

Channel cold-flow, 283
Channel flow, 88
Chaotic mixing, 497
Combined convection, 88
Computational fluid dynamics, 346
Computational fluid dynamics (CFD), 80
Conditional analysis, 188
Conditional sampling, 107
Conjugate heat transfer, 600
Conjugate laminar forced convection, 229
Convective heat transfer, 152, 384, 461, 541
Convoluted plate, 253
Couette flow, 55
Cubical protrusions, 152
Cylinder wake flow, 297

Direct numerical simulation, 55, 70, 88
Disc, 218
Discharge coefficients, 218
Doppler global velocimetry, 116
Double diffusion, 360
Double-diffusive fluid, 507
Drag reduction, 188

Eccentric annulus, 236
Eddy break-up, 575
Eddy structure, 55
Eddy thermal diffusivity, 170
Eddy viscosity, 15, 297
Egress, 218
Electric double layer, 489
Electric field, 411
Electrokinetic effects, 489
Elliptic tube, 567
Enclosure, 100
Equivalent annular fin, 530
Evaporating film, 307

Film condensation, 567
Film cooling, 452
Fin efficiency, 247, 419
Finite element method, 497
Finite volume method, 376
Flow-field measurement, 116
Flow pattern, 550
Foods in bulk, 613
Forced-air precooling, 613
Forced convection, 229, 376, 430
Free convection, 625
Friction coefficient, 489
Friction factor, 559

Görtler instability, 389
Governing equation, 100
Green's function, 131
Grooved channel, 376

Heat and mass transfer, 307, 613
Heat exchanger, 419, 530
Heat flux, 29, 107, 160, 170
Heat flux sensor, 437
Heat transfer, 80, 131, 142, 152, 170, 229, 247, 384, 400, 461, 541, 550, 591, 600
Heat transfer enhancement, 376, 411
Heat transfer on the curved surface, 160
Hexagonal fin, 530
Homogeneous decaying flow, 346
Homogeneous shear flow, 266, 346
Homogeneous turbulence, 29
Hot wire measurements, 183
Hydrodynamic instabilities, 283

Impinging jet, 160
Ingress, 218
Injection, 88
Inner cylinder rotation, 236
Instability, 100, 389
Internal heat generation, 328
Inverse heat conduction problem, 437
Inviscid-viscous interaction, 316

Jet impingement, 316
Junction flow, 107

Kolmogorov scale, 266

Laminar flow, 430, 518
Large-eddy break-up, 575
Liquid crystal, 131, 160, 591
Liquid drop, 411
Liquid impinging jet, 585
Local convective heat transfer, 152
Loss coefficient, 518
Low-Reynolds-number models, 38, 266, 346

Magnetic force, 88
Mass transfer, 307, 497, 613
Microchannel flow, 489
Mixed convection, 567
Mixed-wall roughness, 471
Modeling, 80
Modified eddy-viscosity models, 297
Momentum transfer, 45
Multiple scale modeling, 346

Natural convection, 70, 100, 328, 334, 600
Near-wall flow, 197, 346
Newtonian and shear-thinning fluids, 236
Nonequilibrium, 29
Non-linear eddy viscosity, 15
Non-Newtonian fluids, 625
Numerical analysis, 411

Obliquely impinging jet, 591
Optimum fin thickness, 530
Oscillatory flow, 368, 376, 497

Partially open enclosures, 600
Particle-laden flow, 400
Periodic inlet temperature, 229
Periodic variation of free-stream velocity, 443
Pipe flow, 575
Plate fin heat exchanger, 419, 530
Power-law fluids, 625
Pressure drop, 247, 482, 550
Pressure gradient, 443, 541
Pressure perturbation, 218

q-ξ model, 443

R-22, 550
R-407C, 550
Radial seal, 218
Recovery factor, 585
Rectangular duct flow, 471
Riblets, 183, 188
Rim seal, 218
Rotating blade, 452
Rotating disk, 384
Rotating flow, 218
Rotor-stator, 218
Rough boundary layer, 368

Scalloped lobed forced mixer, 253
Sealing efficiency, 218
Secondary flow, 170, 471
Second-moment closure, 4, 266
Second-moment modeling, 70
Separated and impinging flow, 152
Separated flow, 38, 131
Single-phase flow, 482
Solar ponds, 360
Spatial-temporal velocity, 142
Spin-up, 507
Square duct, 170
Square fin, 530
Stratified flow, 507
Streaming potential, 489
Streamwise and normal vorticity, 253
Suction, 88
Sudden expansion, 518
Surface roughness, 461
Surface tension, 567

Tall cavities, 4
Term-by-term modeling, 4
Thermal energy, 45
Thermal indicators, 437
Thermally driven flow, 100
Thermal second-moment closures, 4
Thermochromic liquid crystals, 131, 160, 591
3-D infrared thermography, 152
Three-dimensional Navier-Stokes analysis, 452
Transient heat transfer in a parallel-plate channel, 229
Transient processes, 328
Transition, 15
Turbine, 15, 218
Turbulence, 45, 55, 80, 188, 443
Turbulence modeling, 15, 197, 346, 360, 368, 471, 575
Turbulence suppression, 567
Turbulent boundary layer, 183
Turbulent convection, 4, 88, 307
Turbulent flow, 38, 142, 209, 266, 346
Turbulent heat flux, 107, 170
Turbulent heat transfer, 170
Turbulent Prandtl number, 170
Turbulent separated and reattaching flow, 38
Two-equation models, 197, 266
Two-phase flow, 400, 419, 482, 541, 550, 559

Uniform heat flux boundary condition, 160
Unsteady convection, 107

Velocity, 142, 236, 443
Velocity derivative, 183
Vented enclosures, 600
Vertical heat flux, 29
Viscoelastic, 559
Viscosity, 15, 297, 489
Viscous dissipation, 585
Void fraction, 482
Vortex method, 316
Vortex shedding, 283, 297
Vortices, 389

Wall injection, 283
Wall turbulent flow, 266, 346
Wavy surface, 625
Wheelspace, 218

Zeta potential, 489